



## FILMTEC Membranes

### Addendum: Key Word Index

- Abrasion - 147  
 Acid addition - 27  
 Acid cleaner - 125  
 Acridine orange - 59  
 Activated carbon - 59, 62, 64, 65  
 Adsorption - 65  
 Agglomeration - 52  
 Air - 109, 146, 150  
 Air break - 98, 111  
 AISI - 99  
 Alarms - 98  
 Al-bronze - 99  
 Algea - 58  
 Alkaline cleaner - 125  
 Aluminum - 28, 47, 51, 66, 69, 145  
 Aluminum coagulants - 55, 56  
 Aluminum silicates - 66  
 Ammonium - 55  
 Anoxic - 55, 65, 66, 67  
 Anthracite - 54  
 Antifoulant - 28, 57  
 Antiscalant - 28, 33, 56, 58, 66, 151, 170-171  
 AOC - 59  
 Apatite - 51  
 Apparent salt passage - 79  
 Application test - 94  
 Applications - 11  
 ASTM - 25, 139  
 ATP - 60  
 Automation - 98  
 Autopsy - 141, 148  
 A-value - 90  
 Back-flow - 67, 97  
 Backflushable filter - 56  
 Backwash - 54  
 Bacteria - 58-59  
 Bank filtration - 64  
 Barium - 28, 29  
 Barium sulfate - 42  
 Barrier layer - 15  
 Batch process - 75, 84, 97  
 Beta number - 79  
 BFR - 60  
 Biocides - 63, 129, 130, 172-174  
 Biofilm - 58, 125, 136, 143  
 Biofiltration - 64  
 Biofouling/biological fouling - 21, 58-65, 100, 129, 143, 151  
 Birm - 55  
 Booster pump - 81  
 Brackish water - 24  
 Brine seal - 102, 150-151  
 Bromide - 61  
 Burn test - 143  
 B-value - 90  
 CAC - 60  
 Calcium - 26-29, 47  
 Calcium carbonate - 27, 28, 32  
 Calcium fluoride - 28, 43  
 Calcium phosphate - 28, 51  
 Calcium sulfate - 40, 42  
 Calibration - 135  
 Carbon dioxide - 29, 32, 36, 81, 166  
 Carbonate scaling - 28-29, 32-39, 125, 126, 145  
 Cartridge filter - 56, 150  
 Cationic polymers/polyelectrolytes - 28, 52, 147, 171  
 Centrifugal pump - 95  
 CF - 31, 95  
 CFU - 59  
 Check list - 108  
 Chemical compatibility - 168-174  
 Chloramine - 61, 63  
 Chlorinated biocidal products - 131  
 Chlorination - 60  
 Chlorine - 56, 58, 60, 69, 98  
 Chlorine demand - 61  
 Chlorine dioxide - 62, 63, 131  
 Chlorine tolerance - 16, 61, 63  
 Clay - 66  
 Cleaning chemicals - 125, 171-172  
 Cleaning frequency - 82, 136, 171  
 Cleaning procedure - 124  
 Cleaning pump - 124  
 Cleaning solution - 122, 124, 136  
 Cleaning system - 123  
 Cleaning tank - 123  
 Cleaning test - 139, 141, 172  
 Clean-in-place (CIP) - 97, 101  
 Coagulant - 56, 171  
 Coagulation-flocculation - 56  
 COD - 69  
 Colloidal fouling - 52-57, 144  
 Colloidal silica - 47, 56  
 Combined chlorine - 63  
 Compaction - 146  
 Compatibility - 168-174  
 Computer program - 90  
 Concentrate recycling/recirculation - 76, 78, 84  
 Concentrate valve - 13, 76, 109  
 Concentration factor - 31, 95  
 Concentration polarization - 58, 89, 91  
 Concentration units - 164  
 Conditioning - 131  
 Conductance - 161  
 Conductivity - 81, 111, 115, 162-163  
 Conductivity meter - 97  
 Conductivity profile - 137-138  
 Continuous process - 75, 76  
 Continuous test - 168, 172-174  
 Control instruments - 97  
 Copper sulfate - 64  
 Corrosion - 65, 99, 145  
 Coupler - 106  
 CRC - 61  
 Crevice corrosion - 99  
 Crossflow - 10  
 DBNPA - 63  
 Dealkalization - 28, 40  
 Dechlorination - 60  
 Degasifier - 68  
 Delamination - 140  
 Desalination - 9  
 Design equations - 90-93  
 Design guidelines - 82-84  
 Destructive analysis - 141  
 Detergent - 147  
 Diatomaceous earth - 150  
 Differential pressure - 54, 57, 58, 122, 143, 149-151  
 Direct count - 59  
 Disposal - 133  
 Distillation - 9  
 Dosing pump - 96  
 Dosing tank - 98  
 Double pass - 84, 111  
 Dow sales offices - 178  
 DOWEX - 28  
 Draw-back - 67, 97, 112  
 Dry element - 132, 133  
 EDXRF - 142, 145  
 Electrodialysis - 10  
 Element construction - 18  
 Element outer wrap - 20  
 Element performance - 20, 141  
 Element removal - 104  
 Element replacement - 146  
 Element size - 20  
 Element spacer - 81, 106  
 Element types - 19, 85  
 Emergency cleaning - 129  
 End cap - 102  
 Energy consumption - 23  
 Energy recovery - 95  
 Equipment - 102, 107  
 ESCA - 142  
 Ethanol - 133

FAC - 60  
 FDA - 17  
 Feed concentration - 14  
 Feed flow rate - 124  
 Feed pressure - 14, 72, 96, 109, 112, 113, 124, 142, 146  
 Feed spacer - 18, 144  
 Feed tank - 97  
 Feedwater pH - 16, 98  
 Feedwater type - 22, 82  
 Ferric chloride - 55  
 Ferric coagulants - 55  
 Ferric sulfate - 55  
 Ferrous iron - 61, 66, 69  
 FilmTec Corporation - 9  
 Filtration - 10, 11  
 Flat cell - 169  
 Flocculant - 56, 57, 171  
 Flocculation/filtration - 47  
 Flow - 13  
 Flow balance - 86-87  
 Flow configuration - 84  
 Flow meter - 97  
 Fluoride scales - 43, 46, 125, 145-146  
 Flush system - 98  
 Flushing - 109, 111, 125  
 Flux - 13, 72, 85  
 Food processing - 17  
 Fouling - 21, 72, 121  
 Fouling factor - 94, 134  
 Fouling index - 53  
 Fouling tendency - 82  
 FR membrane/element - 65, 144  
 FRC - 60  
  
 Freezing - 132, 133  
 FTNORM - 116, 122, 135  
 Full-fit - 19, 100  
 Fungi - 58  
  
 Galvanic corrosion - 99  
 Glycerin - 102  
 Gravity filter - 54  
 Grease - 65  
 Greensand - 55  
  
 Heat sanitization - 131  
 HEPA filter - 97, 100  
 Hexametaphosphate - 28, 33  
 High flow pumping - 124  
 High pressure pump - 95  
 Hollow fiber - 18  
 Hour meter - 97  
 HSRO - 131  
 Humic substances - 65  
 Hybrid system - 81  
  
 Hydrogen peroxide - 62, 130  
 Hydrogen sulfide - 55, 66-68, 145  
 Hydroxide floc - 56, 65, 125  
 Hypochlorite - 60  
 Hypochlorous acid - 60, 62  
  
 ICP - 142, 145  
 Inhibitor - 28  
 In-line filtration - 55  
 Intake - 57, 59  
 Integrity - 140  
 Interconnector - 104-106  
 Intrusion - 146  
 Iodine - 64, 131  
 Ion exchange - 9, 84, 85  
 Ion product - 30, 31  
 Ionic strength - 31  
 Iron - 28, 47, 51, 55, 57, 65-67, 69, 127, 130, 145  
  
 K factor - 114  
 KMnO<sub>4</sub> - 55  
  
 Langelier - 27  
 Leak - 140, 147-148  
 Light industrial system - 83  
 Lime softening - 29, 30, 40, 48  
 Loading - 102-106  
 Low flow - 143-147  
 LSI - 27, 33, 110  
 Lubricant - 102  
  
 Macrofiltration - 10  
 Magnesium - 47  
  
 Maintenance - 99, 116  
 Manganese - 47, 55, 61, 65-67, 69, 145  
 Mass balance - 101  
 Materials - 99, 121  
 Mechanical damage - 149  
 Media filter - 150  
 Media filtration - 54  
 Membrane - 15, 19  
 Membrane degradation - 65  
 Membrane salt passage - 79  
 Membrane system - 72  
 Metal oxides - 121, 125, 145  
 Metal silicates - 47, 48, 56  
 MFI - 53  
 MFI-UF - 53  
 Microfiltration - 10, 55, 56, 64  
 Microorganism - 58  
 Mixing tank - 123  
 Module - 18, 76, 77  
 Molal/molar - 31  
 Monitoring - 98, 101  
  
 MONOSPHERE - 28  
 Multi-stage - 77  
  
 Nanofiltration - 11, 65  
 Net driving pressure - 89, 90  
  
 NOM - 65, 143  
 Nomenclature - 19  
 Normalization - 101, 116-119  
  
 Oil - 65, 96, 147  
 Operating data - 114  
 Operating log - 115  
 Operating pressure - 95  
 Organic fouling - 125, 128, 147  
 Organics - 22, 29, 61, 65, 147  
 O-ring - 102, 104-106, 136-138, 147  
 ORP - 60, 62, 63, 96  
 Orthophosphate - 51  
 Osmosis - 12  
 Osmotic pressure - 12, 89, 91, 167  
 Oxidation damage - 55, 60, 148  
 Oxidation filtration - 55  
 Oxidizing agents - 62, 96  
 Ozone - 62, 64  
  
 Passage - 13  
 Peracetic acid - 130  
 Performance - 13, 134  
 Performance test - 141  
 Permanganate - 62  
 Permeability - 12, 17, 90  
 Permeate - 13  
 Permeate (back)pressure - 76, 81, 87, 96, 112, 135, 137, 140, 148  
 Permeate concentration - 91-93  
 Permeate flow - 13, 90-93, 141, 142  
 Permeate flushing - 101  
 Permeate staged system - 80, 81, 84  
 Permeate tank - 97, 112, 113  
 Permeate tube - 18  
 pH meter - 97  
 pH range - 125  
 Phenolic disinfectant - 131  
 Phosphate - 51  
 Phosphate scaling - 51, 52, 125  
 Phosphorus - 51  
 Pilot test - 95  
 Pitting - 99  
 Plate & frame - 18, 142  
 Plug flow - 78, 84  
 Polyacrylates - 28, 48  
 Polyamide - 15  
 Polyester web - 15  
 Polyphosphates - 51  
 Polysulfone - 15, 144

Positive displacement pump - 95  
 Post-chlorination - 98  
 Post-treatment - 72  
 Potassium permanganate - 55  
 Preservation - 112, 132, 133  
 Preservation solution - 132, 144  
 Preservatives - 174  
 Pressure drop - 92-93, 124, 142, 147, 149-151  
 Pressure dye test - 142  
 Pressure filter - 54  
 Pressure gauge - 97  
 Pressure vessel - 96, 102-106  
 Pretreatment - 21, 116, 121  
 Pretreatment chemicals - 52, 110  
 Preventative cleaning - 30, 47  
 Probing - 100, 137, 148  
 Profiling - 100, 137  
 Pump impeller - 150  
  
 Quaternary germicides - 64, 131  
  
 Record keeping - 113-116  
 Recorder - 98  
 Recovery - 13, 14, 72  
 Recycle - 124  
 Reducing agents - 61  
 Rejection - 13  
 Reverse flow - 112  
 Reverse Osmosis - 11, 12  
 Re-wetting - 133, 144  
 Rhodamine - 142  
 ROSA - 33, 87, 90, 94, 134  
  
 S&DSI - 27, 36, 110  
 Safety - 121  
 Salinity - 22, 23, 113  
 Salt passage - 13, 79, 90  
 Salt rejection - 13, 72, 94  
 Sample port - 97  
 Sampling points - 59, 100-101  
 Sand - 54, 66  
 Sanitization - 58, 63, 129, 131  
 Sanitization chemicals - 58, 64  
 SBS - 62  
 Scale inhibitor - 28, 33, 40, 48  
 Scaling - 21, 26-52, 121, 136, 145-146, 150  
 Screening test - 94  
 SDI - 53, 54, 56, 101  
 Seawater - 23, 36, 61, 113  
 SEM - 142  
 Semi-batch - 75, 84, 97  
 Shimming - 103-104  
  
 Shipping - 132, 133  
 SHMP - 28  
 SHMP, hydrolyzed - 28  
 Shock treatment - 62  
 Shutdown - 111-112  
 Shutdown switches - 96  
 Silica - 28, 29, 47, 125  
 Silicate - 47, 65  
 Silicic acid - 47  
 Silicone lubricant - 102  
 Silt - 125  
 Silt density index - 53, 54  
 Single-module - 76  
 Single-stage - 77  
 Siphoning - 67, 111  
 Slow sand filtration - 64  
 Small commercial system - 83  
 SMBS - 62, 132, 133  
 SMO - 99  
 Soak - 124  
 Soak test - 168, 172-174  
 Soda ash - 29, 48  
 Sodium bisulfite - 62  
 Sodium chloride - 161, 167  
 Sodium hydroxide - 81  
 Sodium hypochlorite - 55  
 Softening - 28, 40, 57  
 Soil passage - 64  
 Solubility product - 27, 30, 31  
 Solute passage - 137, 142, 147-148  
 Solute rejection - 137, 141  
 Spiral wound - 18  
 Stabilized performance - 94, 111, 125, 134  
 Staging ratio - 77, 86  
 Stainless steel - 99  
 Standard seawater - 23  
 Standard test - 20, 141  
 Start/stop - 111, 112  
 Start-up - 107-111, 113  
 Stiff & Davis - 27  
 Storage - 111, 132  
 Strontium - 28, 29  
 Strontium sulfate - 42  
 Suck-back - 67, 112  
 Sulfate scaling - 28, 40-42, 125-126, 145-146  
 Sulfides - 66, 67  
 Sulfur - 67, 68, 145  
 Surfactant - 147  
 Suspended matter - 56  
 Symbol definitions - 93  
 System checking - 107  
 System Optimization Service - 139  
  
 System recovery - 91-93, 109  
 System salt passage - 79  
 Tanks - 97  
 Tapered recirculation system - 80  
 TBC - 59  
 TCF - 91, 117  
 TDS - 22, 115  
 Telescoping - 147  
 Temperature - 14, 48, 113, 130, 131, 146  
 Temperature Correction Factor - 91, 117, 165  
 Temperature limits - 96, 112, 122, 132, 133  
 Temperature units - 165  
 Test unit - 141, 169-170  
 Testing - 94-95, 141  
 Thrust ring - 102, 147  
 TOC - 65  
 Transmembrane pressure - 10, 11  
 TRC - 61  
 Troubleshooting grid - 151  
 Tubular - 18  
 Turbidity - 53, 96  
  
 U.S. units - 166  
 U-cup brine seal - 102  
 Ultrafiltration - 10, 55, 56, 64  
 UPCORE - 28  
 UV - 64  
  
 Vacuum decay test - 140  
 Valves - 97  
 Viruses - 58  
 Visual inspection - 136, 140, 148  
  
 Water analysis - 24-26  
 Water hammer - 140, 146, 147, 150  
 Water meter - 97  
 Water permeation - 90  
 Weighing - 140, 145  
 Well - 57, 59, 68  
 Wet element - 132  
 Wetting - 144  
  
 X-ray analysis - 142  
 |

**FILMTEC™ Membranes**  
**For more information about FILMTEC**  
**membranes, call the Dow Liquid**  
**Separations business:**

North America: 1-800-447-4369  
Latin America: (+55) 11-5188-9222  
Europe: (+32) 3-450-2240  
Pacific (ex. China): +800-7776-7776  
China: +10-800-600-0015  
<http://www.filmtec.com>

Notice: The use of this product in and of itself does not necessarily guarantee the removal of cysts and pathogens from water. Effective cyst and pathogen reduction is dependent on the complete system design and on the operation and maintenance of the system.

Notice: No freedom from any patent owned by Seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Seller assumes no obligation or liability for the information in this document. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

